



Welcome to the Award Winning
Connect ONE®

Easiest to Use & Most Advanced

View, Manage, and Control

Security, Access Control, Video,
Energy & Lighting Systems, &
Critical Temperature Monitoring

Universal Browser & Mobile Compatibility
No Software to Load or Maintain
No Apps to Buy



**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH





Works entirely from your web browser with secure encrypted transmission via SSL

Multi-user login for simultaneous viewing and control

Specify session timeout for automatic logout after inactivity

The login form for Connect ONE Demo includes the following fields and options:

- Username:** Text input field
- Password:** Password input field
- Customer #:** Text input field
- Session Timeout:** Dropdown menu set to "90 Minutes"
- Remember Me:** Unchecked checkbox
- Login:** Blue button

The dashboard for Connect ONE Demo shows the following components:

- Header:** "Connect ONE Demo" logo, date "July 29, 2009 2:46 PM", and user "Welcome, Administrator Cu".
- Navigation:** Links for Forum, Help, and Logout.
- Monitor:** Real-Time Events, Control Alarm/Access/HVAC Systems.
- Users:** Attributes, System Codes & Access.
- Reporting:** Create Detailed Reports.
- Profiles:** Login Permissions, System Permissions.
- Interaction:** Email Notification Rules, System Interaction.
- Schedules:** Shift, Door, and HVAC Schedules, Holidays.
- Utilities:** System Maintenance.
- Forum:** Frequently Asked Questions, Feature Enhancements & Requests.

©Copyright 2007-2009 Connected Technologies, LLC. All Rights Reserved. Powered By Connect ONE™

**CLICK HERE TO
REQUEST A PROPOSAL**



Real-time security, access, & HVAC event information


Watch events and any relevant camera views on the same screen

View all sites on one screen

User picture for access verification



Full Version



Mobile Version

CLICK HERE TO REQUEST A PROPOSAL

FULLY TESTED AND COMPATIBLE WITH





See armed status for all their sites on one screen

Point & Click to arm or disarm areas

Quickly arm or disarm multiple sites at the same time

Site / Area	Status	Options
Site #1 / Inventory	Disarmed	Disarm Arm More Options
Site #1 / Office	Disarmed	Disarm Arm More Options
Site #1 / Warehouse	Disarmed	Disarm Arm More Options
Site #2 / Main	Disarmed	Disarm Arm More Options
Site #2 / Rear	Disarmed	Disarm Arm More Options
Site #3 / Main	Armed	Disarm Arm More Options
Site #3 / Area 2	Armed	Disarm Arm More Options

Full Version

Area	Status	Options
PERIMETER [XT150-1]	Disarmed	Arm Disarm
INTERIOR [XT150-2]	Disarmed	Arm Disarm
BEDROOMS [XT150-3]	Disarmed	Arm Disarm
Warehouse [ELK M1-2]	Armed to Night	Arm Disarm
MAIN EXT. DOOR [XRS500-2]	Disarmed	Arm Disarm

Mobile Version

CLICK HERE TO REQUEST A PROPOSAL

FULLY TESTED AND COMPATIBLE WITH



See zone status for all their sites on one screen

Point & Click to bypass zones

Full Version

Monitor Reporting Users Profiles Schedules Interaction Utilities		
Activity Arm/Disarm Zones & Sensors Doors & Outputs Cameras HVAC Lights Tasks		
Filter Results >>		
Site #1 / Inventory		
INVENTORY DR [Alarm Panel-12]	Normal	<input type="checkbox"/> < Bypass <input type="checkbox"/> > Unbypass
Site #1 / Office		
OFFICE MOTION [Alarm Panel-4]	Faulted	<input type="checkbox"/> < Bypass <input type="checkbox"/> > Unbypass
Site #1 / Warehouse		
N WHSE DR [Alarm Panel-1]	Normal	
S WHSE DR [Alarm Panel-2]	Faulted	
WHSE MOTION [Alarm Panel-3]	Normal	
Site #1 / [24 Hour Area]		
FIRE [Alarm Panel-8]	Normal	
Office [HVAC-2888301A03000016]	76.3°F Normal	
1wire #5 [HVAC-28A3601104000023]	75.7°F Normal	
Server [HVAC-28D3C4220300002D]	70.2°F Normal	
Site #2 / Main		
FRONT DOOR [Alarm Panel-1]	Normal	
SIDE DOOR	Normal	

Mobile Version

Menu 1 1

75

75.4°F
Normal
Server Rm A [BarioNet-2888301A03000016]
HQ / [24 Hour Area]

74

74.5°F
Normal
1wire #4 [BarioNet-28A3601104000023]
HQ / [24 Hour Area]

69

69.1°F
Normal
Panel [BarioNet-28D3C4220300002D]
HQ / [24 Hour Area]

N

Normal
INVENTORY DR [PR100-12]
WHSE / Inventory

F

Faulted
OFFICE MOTION [PR100-4]
WHSE / Office

**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH





See door & output status for all their sites on one screen

Point & Click to quickly lock & unlock doors or turn on & off outputs

Quickly lock doors at multiple sites with the send command feature

Monitor | Reporting | Users | Profiles | Schedules | Interaction | Utilities

Activity | Arm/Disarm | Zones & Sensors | **Doors & Outputs** | Cameras | HVAC | Lights | Tasks

Lockdown | Filter Results >>

Site	Device	Status	Actions
Site #1 / Inventory	INVENTORY DOOR [Alarm Panel-D1]	Locked	<input type="checkbox"/> Open <input type="checkbox"/> Unlock <input type="checkbox"/> Lock
	OUTPUT 1 [Alarm Panel-1]	Off	<input type="checkbox"/> Momentary <input type="checkbox"/> On <input type="checkbox"/> Off <input type="checkbox"/> --More Options--
Site #2 / Main	FRONT DOOR [Alarm Panel-D1]	Locked	
	REMOTE GATE [Alarm Panel-1]	Locked	
Site #2 / Rear	REAR DOOR [Alarm Panel-D2]	Locked	
Site #3 / Main	REAR DOOR1 [Alarm Panel-D2]	Unlocked	
	OUT 1 [Alarm Panel-1]	Off	
	LOCK3 [Alarm Panel-1003]	Unlocked Battery:80%	

Results (1 - 8 of 8) Sort: Site / Area Name Status

©Copyright 2007-2013 Connected Technologies, LLC. All Rights Reserved.

Full Version

Mobile Version

Menu | 1

L	Locked	Front Door [ELK M1-D1] HQ / Main Office	Control
L	Locked	DEVICE 1 [XR350-D1] HQ / Main Office	Control
U	Unlocked	REAR DOOR1 [XR350-D2] HQ / Main Office	Control
U	Unlocked Battery:80%	LOCKS [XR350-1003] HQ / Main Office	Control
O _f	Off	ARMING ACC AREA [XR500-2] HQ / Office 103	Control

**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH





View Thumbnail Images from Multiple Sites on the Same Screen

Click on one or multiple thumbnails to open a live video window

Organize and Arrange Live Video Windows anywhere on the screen

Connect ONE®

May 3, 2012 3:08 PM
Welcome, Dan
Customer Name

Help Logout

Monitor Reporting Users Profiles Schedules Interaction Utilities

Activity Alarm/Access Areas Zones Doors & Outputs Cameras HVAC Lights Tasks

Thumbnails from May 03, 2012 3:07:43 pm CDT IP: Public - Local | Filter Results by Site or Area >>

 HQ / Main Office: Front Door [Click To View]	 HQ / Main Office: Front Office [Click To View]	 HQ / Main Office: Parking [Click To View]
 HQ / Multi-Purpose Room: PTZ [Click To View]	 HQ / Office 102: Invent [Click To View]	 HQ / Office 203 [Click To View]

Menu

- Front Door
HQ / Main Office
- Front Office
HQ / Main Office
- Parking
HQ / Main Office
- Main Shop (Rear)
HQ / Office 203

Full Version

Mobile Version

**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH



Monitor current heating/cooling conditions for one or more sites

Only authorized personnel can control thermostats preventing heating/cooling misuse

Temperature settings automatically follow the security system status for maximum savings on energy costs

Customized low/high temperature alarms

Monitor & Control Lighting / Appliances

Activate Automation Tasks and Keypad Shortcut Keys

Site: HQ **System:** Barionet TR60 **Last Update:** Sep 11, 2012 12:42:36 pm CDT

Current		Adjust Settings	
HVAC State	Off	Hold Mode	Normal
Fan State	Off	HVAC Mode	Auto
Zone Temp	76° F	Fan Mode	Auto
Local Sensor	76° F	Cool	78° F
Outside	77.2° F	Heat	70° F
Low Temp Alarm	Normal	<input type="button" value="Send"/>	

[Filter Results >>](#)

Site / Area	System	HVAC	Fan	Temp	Schedule	Alarms	
HQ / Main Office	Office	Off	Auto	00.0° F	Standard	Alarm / Not Responding	<input type="checkbox"/> --Options--
HQ / Main Office	Barionet TR16	Off	Off	78.0° F	Standard	Normal	<input type="checkbox"/> --Options--
HQ / Office 104	Thermostat	Off	Off	77.1° F	Standard	Alarm	<input type="checkbox"/> --Options--

[Filter Results >>](#)

Site / Area	Name [System-#]	Status	
HQ / Office 103	light 140 [ELK M1-140]	Off	<input type="checkbox"/> On <input type="checkbox"/> Off
HQ / Rear Shop	Heater [ELK M1-3]	Off	<input type="checkbox"/> On <input type="checkbox"/> Off
HQ / Warehouse	Hallway [ELK M1-1]	Off	<input type="checkbox"/> On <input type="checkbox"/> Off
HQ / Warehouse	Front Dr [ELK M1-2]	Off	<input type="checkbox"/> On <input type="checkbox"/> Off

Results (1 - 4 of 4)

Site / Area	Name [System-#]	Status	
HQ / Main Office	Arm Home [ELK M1-0:1]		<input type="checkbox"/> Activate
HQ / Main Office	Unoccupied Mode [ELK M1-0:2]		<input type="checkbox"/> Activate
HQ / Rear Shop	F4 = Rear Dr [ELK M1-1:4]	On	<input type="checkbox"/> Activate
HQ / Warehouse	F3 = Ready? [ELK M1-1:3]	Blinking	<input type="checkbox"/> Activate

Results (1 - 4 of 4)

**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH



Quickly run detailed reports across all sites & areas – saving your customer time

Export to Spreadsheet or Print

All event activity stored for one year at a secure offsite location

Report – Connect ONE Demo

http://demo.connectmysites.com/report.php

Export to Excel Print Close

109 Events from Jul 29, 2009 12:00:00 am CDT to Jul 29, 2009 11:59:59 pm CDT

Date/Time	Site	Area	Event Type	User	Event
Jul 29, 2009 2:10:37 pm CDT	Remote		Email Notification		User Session Event sent to: dsimon@connectedtechnologies.us
Jul 29, 2009 2:10:37 pm CDT	Remote		User Session	Administrator	User Login Successful from 74.7.168.186 port 57669
Jul 29, 2009 2:01:02 pm CDT	Site #1	Office	Arming Status	Alfredo R	Area Armed Area:2 OFFICE by User:71 ALFREDO
Jul 29, 2009 1:57:00 pm CDT	Home	Home	Arming Status	Alex B	Area Disarmed Area:1 PERIMETER by User:4 ALEX
Jul 29, 2009 1:52:57 pm CDT	Site #2	Main	Arming Status	Felipe E	Area Disarmed Area:1 BUILDING by User:20 FELIPE
Jul 29, 2009 1:36:49 pm CDT	Site #1	Warehouse	Arming Status	Charity S	Area Armed Area:3 WAREHOUSE by User:76 CHARITY
Jul 29, 2009 1:32:47 pm CDT	Home	Home	Arming Status	Alex B	Area Disarmed Area:1 PERIMETER by User:4 ALEX
Jul 29, 2009 1:28:45 pm CDT	Site #2	Main	Door Access	Nicholas W	Granted at Device:2 REAR DOOR by User:41 NICHOLAS
Jul 29, 2009 1:12:37 pm CDT	Site #1	Office	Arming Status	Oriando D	Area Armed Area:2 OFFICE by User:60 ORLANDO
Jul 29, 2009 1:08:35 pm CDT	Home	Home	Arming Status	Alex B	Area Armed Area:1 PERIMETER by User:4 ALEX
Jul 29, 2009 1:04:33 pm CDT	Site #2	Main	Arming Status	Kris W	Area Disarmed Area:1 BUILDING by User:35 KRIS
Jul 29, 2009 12:48:25 pm CDT	Site #1	Main	Arming Status	Nick C	Area Armed Area:1 MAIN by User:35 NICK
Jul 29, 2009 12:44:23 pm CDT	Home	Home	Arming Status		Area Disarmed Area:1 PERIMETER by User:44 PRZEMYSLAW
Jul 29, 2009 12:40:21 pm CDT	Site #2	Main	Door Access	Przemyslaw H	Granted at Device:2 REAR DOOR by User:44 PRZEMYSLAW
Jul 29, 2009 12:24:12 pm CDT	Site #1	Office	Arming Status	Mark M	Area Disarmed Area:2 OFFICE by User:64 MARK
Jul 29, 2009 12:20:10 pm CDT	Home	Home	Arming Status	name	Area Armed Area:1 PERIMETER by User:5 name
Jul 29, 2009 12:16:08 pm CDT	Site #2	Main	Door Access	Kevin L	Granted at Device:1 FRONT DOOR by User:51 KEVIN
Jul 29, 2009 12:00:00 pm CDT	Site #1	Warehouse	Door Access	Sharon H	Granted at Device:3 WHSE W SRVC DOOR by User:22 SHARON

One Report – All Sites & Areas

Report – Connect ONE Demo

http://demo.connectmysites.com/report.php

Export to Excel Print Close

3 Events from Jul 28, 2009 12:00:00 am CDT to Jul 28, 2009 11:59:59 pm CDT

User	Site	Area	Date	Time In	At Device	Time Out	At Device	Total
Tim G	Site #1	Warehouse	Jul 28, 2009	7:21:27 am CDT	D4 EMPLOYEE DOOR	11:39:38 am CDT	D2 REAR DOOR	4 hours, 18 minutes, 11 seconds
	Site #2	Main		11:39:38 am CDT	D2 REAR DOOR	7:27:36 pm CDT	D4 EMPLOYEE DOOR	7 hours, 47 minutes, 58 seconds
	Site #1	Warehouse		7:27:36 pm CDT	D4 EMPLOYEE DOOR			
Area Totals								
	Site #1	Warehouse		4 hours, 18 minutes, 11 seconds				
	Site #2	Main		7 hours, 47 minutes, 58 seconds				

ROI - Productivity Report

CLICK HERE TO REQUEST A PROPOSAL

FULLY TESTED AND COMPATIBLE WITH



Temperature Interface

- Monitor for High/Low Temperature
- View Current Temperature & Alarm Status on the Monitor - Zones Page

Historical Temperature Logging

- Satisfy regulatory requirements without manual logging
- Log Temperature on an Interval
 - Semi-Hourly, Hourly, or Bi-Hourly
- Graphical and Textual Historical Report
- Show temperatures throughout a time period
- Statistical Summary of the following:
 - Temperature Low, High, & Average



**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH





Easily add or delete users

Specify other users to be able to login and manage simply by choosing a login name & password

Email or text messaging addresses – used for instant event notification

Upload a picture for access verification

Simple batch add or delete codes to multiple sites

The screenshot shows the 'Connect ONE' user management interface. At the top right, it displays the date and time: 'September 11, 2012 1:02 PM' and the user's name: 'Welcome, Admin Customer Name'. Below this, there are navigation tabs: Monitor, Reporting, Users, Profiles, Schedules, Interaction, and Utilities. The 'Users' tab is selected, and the page title is 'View User'. On the left, there is a profile picture of a man and an 'Upload Image' button. The main content area is divided into sections: 'Login & Permission Attributes' (Status: Active, Name: Frank O'connor, Login Profile: Profile Only, Login Name: frank), 'Contact Information' (Email: test@123.com, Phone: 800-555-1212), and 'System Code(s)' (a table with columns for Site/System, Code Number & Name, Profile, Ext #, Fac #, Code, Status, and Actions). The table lists three system codes: HQ / ELK M1, HQ / XR500, and HQ / XT50. At the bottom, there is a 'Send Actions' button and a copyright notice: '©Copyright 2007-2012 Connected Technologies, LLC. All Rights Reserved.' and 'Powered By Connect ONE™'.

**CLICK HERE TO
REQUEST A PROPOSAL**





Assign Permissions for each Application Section

Restrict viewing of system codes to only authorized personnel

Delegate management responsibilities to personnel and restrict viewing of unauthorized Sites and/or Areas

Restrict Login by Schedule and/or Network

<< [Back To Login Profiles](#) | [Create/Edit Login Profile](#)

Attributes

Status: Name: *

Login Permissions

Monitor - Activity: (View Real-Time Activity)

Monitor - Alarm/Access Areas: (Arm/Disarm)

Monitor - Zones: (Bypass Zones)

Area Permissions

Monitor - Doors & Outlets:

Monitor - Cameras: (Configure)

Monitor - HVAC: (Configure)

Monitor - Lights: (Configure)

Monitor - Tasks: (Configure)

Reporting: (Create/Delete)

Users: (User Attributes)

Profiles: (Login Permissions)

Schedules: (Shift, Door)

Interaction: (Email Notifications)

Utilities: (System Maintenance)

User Visibility: By Area: To All:

Enable Virtual Anti-Passback:

Enable Lockdown Deactivation:

Enable System Activity Restriction by Area:

Select Available Areas: (hold 'ctrl' to select more than one)

Viewable Areas for this Profile: (hold 'ctrl' to select more than one)

HQ:Office Bathrooms
HQ:Office Storage
HQ:Rear Shop
HQ:Server Room
HQ:Shop
HQ:side door
HQ:Sprinkler Room
HQ:Storage
HQ:Warehouse
HQ:Warehouse
HQ:Warehouse Bathrooms
SG:Office 201b
SG:office 201c
SG:test

HQ:Office 102
SG:Office 201a

Schedule

Enable Login Restriction by Schedule:

Enable System Activity Restriction by Schedule:

Restriction Occurs:

IP Address Filter

Enable Login Restriction By Network:

Whitelist: (one IP address per line, ex) single 255.255.255.1 or range 255.255.255.0/24

**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH



Quickly program alarm/access shifts, door, or output schedules with the copy / paste feature

Connect ONE®

 Monitor
  Reporting
  Users
  Profiles
  Schedules
  Interaction
  Utilities

[<< Back To Schedules](#) | [Create/Edit Schedule](#)

System:

Schedule Type:

Name:

Schedule:

	Start	Stop		Copy	Paste
Sunday:	<input type="text" value="01"/> <input type="text" value="00"/> - <input type="text" value="03"/> <input type="text" value="01"/>	<input type="text" value="01"/> <input type="text" value="00"/>	<input type="text" value="Sunday"/>	<input type="button" value="Copy"/>	<input type="button" value="Paste"/>
Monday:	<input type="text" value="00"/> <input type="text" value="00"/> - <input type="text" value="02"/> <input type="text" value="00"/>	<input type="text" value="00"/> <input type="text" value="00"/>	<input type="text" value="Tuesday"/>	<input type="button" value="Copy"/>	<input type="button" value="Paste"/>
Tuesday:	<input type="text" value="03"/> <input type="text" value="00"/> - <input type="text" value="02"/> <input type="text" value="00"/>	<input type="text" value="00"/> <input type="text" value="00"/>	<input type="text" value="Wednesday"/>	<input type="button" value="Copy"/>	<input type="button" value="Paste"/>
Wednesday:	<input type="text" value="03"/> <input type="text" value="00"/> - <input type="text" value="02"/> <input type="text" value="00"/>	<input type="text" value="00"/> <input type="text" value="00"/>	<input type="text" value="Thursday"/>	<input type="button" value="Copy"/>	<input type="button" value="Paste"/>
Thursday:	<input type="text" value="03"/> <input type="text" value="00"/> - <input type="text" value="02"/> <input type="text" value="00"/>	<input type="text" value="00"/> <input type="text" value="00"/>	<input type="text" value="Friday"/>	<input type="button" value="Copy"/>	<input type="button" value="Paste"/>
Friday:	<input type="text" value="03"/> <input type="text" value="00"/> - <input type="text" value="22"/> <input type="text" value="00"/>	<input type="text" value="00"/> <input type="text" value="00"/>	<input type="text" value="Friday"/>	<input type="button" value="Copy"/>	<input type="button" value="Paste"/>
Saturday:	<input type="text" value="00"/> <input type="text" value="00"/> - <input type="text" value="22"/> <input type="text" value="00"/>	<input type="text" value="00"/> <input type="text" value="00"/>	<input type="text" value="Saturday"/>	<input type="button" value="Copy"/>	<input type="button" value="Paste"/>

Holidays | [Edit Dates](#)

Group A: -


Group B: -

Group C: -

©Copyright 2007-2012 Connected Technologies, LLC. All Rights Reserved.

**CLICK HERE TO
REQUEST A PROPOSAL**

- Quickly perform a Lockdown
- *Lock All Doors, Deactivate Door Schedules & Selected Users*



Connect ONE ** [Commands Pending](#) **

Monitor Reporting Users Profiles Schedules Interaction Utilities

[<< Back To Utilities](#) | **Status** | [System Codes](#)

Site: HQ **System:** XR500

System Status		Commands
Last Transmission:	10-09-2012 11:17:34 AM CDT	Update System Status
AC Power:	Normal	Perform Lockdown
Battery:	Normal	Restore from Lockdown
Network:	Normal	Send Alarm Silence Command
Phone Line #1:	Not Applicable	
Phone Line #2:	Not Applicable	


The page at <https://dev2a.connectmysites.com sa...>

Perform Lockdown?
NOTE: This will deactivate all users selected for lockdown, lock all doors, and deactivate door unlock schedules.

**CLICK HERE TO
REQUEST A PROPOSAL**

Receive instant event notifications via onscreen, email or text messaging to your cell phone

Other notification options include daily or weekly emailed reports



Onscreen Alert



Email or Text Message

**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH





Why Software-as-a-Service is Your Best Choice

Works entirely from your web browser from any location with Internet access

Monitor, Control, and Manage All locations with One Login

Software managed by security experts. No software or servers to maintain

Regularly updated with feature enhancements at no additional cost

Immune to malicious Internet attacks such as spyware and viruses

Minimize risk since you won't experience downtime or loss of data due to computer hardware / software failures or changes

With the same ease as sending an email, you have the control to keep your buildings secure and energy efficient

**CLICK HERE TO
REQUEST A PROPOSAL**

FULLY TESTED AND COMPATIBLE WITH

